



LA CUSBOONAYSIIYAMAarso 15, 2017-ka

DugsiyadaDadweynahaPortland waxay cusboonaysiindoontaaisla markaana joogtayndoontaa liiska su'aalaha iyojawaabaha intabadan laisweydiyo ee ku saabsantayada biyahaee dugsiyadeena. Su'aalaha waxaa laguudbin karaa pubinfo@pps.net.

Saamaynta Caafimaad ee Kiimikada Lead ee ku jirta Biyaha la Cabo

Q. Halkee ayaan ka heli karaa macluumaad ku saabsan saamaynta caafimaad ee kiimikada lead ee ku jirta biyaha la cabo?

A: WaaxdaCaafimaadka DegaankaMultnomah iyo MaamulkaCaafimaadkaOregon waahay'adaha khibrada u leh isla markaana ma'uulka ka ah ka hortaggaiyo wax ka qabashada saamaynta caafimaadee kiimikada lead. Websiteka waaxdacaafimaadka [www.multco.us/health/lead - poisoning-prevention](http://www.multco.us/health/lead-poisoning-prevention) ayaabixiya macluumaadwanaagsan iyojawaaboku saabsan macmuulaadkakiimikada lead. Waxaysidoo kale leeyihiin khadka loogu talagalaysu'aalaha 503.988.4000.

Qaybinta Biyaha oo Badbaado leh

Q. Waa maxay qorshaha loogu talagalay gaarsiinta biyaha inta lagu jiro sanad dugsiyeedka 2016- 17-ka?

A. PPSwaxay mishiin 5 gallon ah oo biyahaqaybiya ku rakibtay goobahadhexee ee dugsikasta. Dhammaanmeelaha biyahalagacabo "drinking fountains" waa la xiray ama waa la daboolay, laakiin biyaha musqushaiyo meeshawax lagu dhaqo "sinks" way furan yihiin si gacmahaloogu dhaqdo.

Q: Qoysasku caagadaha biyaha 'bottled water' ma soo raacin karaan ardaydooda?

A: Haa,laakiin PPSwaxa ay waalidiinta ku dhiirigelinaysaa in aydiraan caagadaha biyaha'bottled water' oo lagabuuxsankaro meel biyaha la caboo badbaaddeh ku jiraan oo dugsigaka tirsan. Biyaha la caboo badbaaddeh ayaalagaheli doonaa dugsiyada oo dhankuwaasi oo loogu talagalay ardayda,waaxdaiyo shaqaalahadugsigao dhan.

Baaritaanka Heerka Kiimikada Lead

Q. Waa maxay fursadaha ay PPSiinayso ardayda iyo shaqaalaha si ay u helaan baaritaannada kiimikada lead oo lacag la'aan ah?

A: Gu'gii la soo dhaafayyo xagaaga oo dhar,PPSwaxa ay iskaashila yeelatayDegaanka Multnomah iyada oo qoysaskanaysay macluumaadka hadlayabaaritaannada heerkiimikada lead Degaanka lacagla'aanta ahee Portlandoo dhan.

Q. Ma jiraan wax fursad o dheeraad ah oo loogu talagalay baaritaanka kiimikada lead?

A: Wakhtigan lajoogo,baaritaanka kiimikada lead ee dhiiga ayaala helayaa

ah oo ku saabsan fasalada caafimaad ee soo socda adigaoo booqanaya
<https://multco.us/health/lead-poisoning-prevention/test-your-child-lead>.

Q: Halkee ayay qoysasku ka ogaan karaan waxyaabo dheeraad ah oo ku saabsan heerarka kiimikada lead iyo khataraha caafimaad ee ay leedahay?

A: Degaanka Multnomahayaahawlgeliya "khadka kiimikada lead" email ayaaloo diri karaa leadline@multco.us iyada oo khadkatelefoonka eemacluumaadkanalagawici karo 503-988-4000.

Su'aalaha Kale

Q: Sidee ayaa cuntada dugsiya loo diyaariyaa?

A: PPSwaxay dhaqangelisaynidaam tuubooyinka biyaha dwTj0Tw [5j [(2016.019 Tc 0.019 T.)-d-34(8)-(7T

DRAFT

DR

DRAFT